Protocol "Layers"

Networks are complex!

- many "pieces":
 - hosts
 - routers
 - links of various media
 - applications
 - protocols
 - hardware, software

Question:

Is there any hope of organizing structure of network?

Or at least our discussion of networks?

1: Introduction

Organization of air travel

ticket (purchase) ticket (complain)
baggage (check) baggage (claim)
gates (load) gates (unload)
runway takeoff runway landing
airplane routing
airplane routing

■ a series of steps

1: Introduction

1

Organization of air travel: a different view

ticket (purchase)	ticket (complain)
baggage (check)	baggage (claim)
gates (load)	gates (unload)
runway takeoff	runway landing
airplane routing	airplane routing
airplane routing	

Layers: each layer implements a service

- via its own internal-layer actions
- o relying on services provided by layer below

1: Introduction

3

Layered air travel: services


Counter-to-counter delivery of person+bags

baggage-claim-to-baggage-claim delivery

people transfer: loading gate to arrival gate

runway-to-runway delivery of plane


airplane routing from source to destination





Why layering?


Dealing with complex systems:

- explicit structure allows identification, relationship of complex system's pieces
 - o layered reference model for discussion
- modularization eases maintenance, updating of system
 - change of implementation of layer's service transparent to rest of system
 - e.g., change in gate procedure doesn't affect rest of system
- layering considered harmful?









Internet protocol stack

- application: supporting network applications
 - o ftp, smtp, http
- transport: host-host data transfer
 - o tcp, udp
- network: routing of datagrams from source to destination
 - o ip, routing protocols
- link: data transfer between neighboring network elements
 - o ppp, ethernet
- physical: bits "on the wire"

application

transport


network


link


physical

1: Introduction


11










Internet structure: network of networks roughly hierarchical national/international local backbone providers (NBPs) regional ISP • e.g. BBN/GTE, Sprint, AT&T, IBM, UUNet NBP B o interconnect (peer) with each other privately, or at public Network Access Point (NAPs) NBP A regional I SPs regional ISP o connect into NBPs local I SP □ local I SP, company o connect into regional I SPs 1: Introduction









Internet History

1961-1972: Early packet-switching principles

- 1961: Kleinrock queueing theory shows effectiveness of packetswitching
- 1964: Baran packetswitching in military nets
- 1967: ARPAnet conceived by Advanced Reearch Projects Agency
- 1969: first ARPAnet node operational

- **1972**:
 - ARPAnet demonstrated publicly
 - NCP (Network Control Protocol) first hosthost protocol
 - first e-mail program
 - ARPAnet has 15 nodes

Internet History

1972-1980: Internetworking, new and proprietary nets

- 1970: ALOHAnet satellite network in Hawaii
- □ 1973: Metcalfe's PhD thesis proposes Ethernet
- □ 1974: Cerf and Kahn architecture for interconnecting networks
- □ late70's: proprietary architectures: DECnet, SNA, **XNA**
- late 70's: switching fixed length packets (ATM precursor)
- 1979: ARPAnet has 200 nodes

Cerf and Kahn's internetworking principles:

- o minimalism, autonomy no internal changes required to interconnect networks
- best effort service model
- stateless routers
- decentralized control

define today's Internet architecture

1: Introduction 21

Internet History

1980-1990: new protocols, a proliferation of networks

- 1983: deployment of TCP/IP
- 1982: smtp e-mail protocol defined
- 1983: DNS defined for name-to-IPaddress translation
- 1985: ftp protocol defined
- □ 1988: TCP congestion control

- new national networks: Csnet, BI Tnet, NSFnet, Minitel
- 100,000 hosts connected to confederation of networks

Internet History

1990's: commercialization, the WWW

- Early 1990's: ARPAnet decomissioned
- 1991: NSF lifts restrictions on commercial use of NSFnet (decommissioned, 1995)
- arly 1990s: WWW
 - hypertext [Bush 1945, Nelson 1960's]
 - HTML, http: Berners-Lee
 - 1994: Mosaic, later Netscape
 - late 1990's: commercialization of the WWW

Late 1990's:

- est. 50 million computers on Internet
- □ est. 100 million+ users
- backbone links runnning at 1 Gbps

1: Introduction 23

ATM: Asynchronous Transfer Mode nets

Internet:


 today's de facto standard for global data networking

1980's:

- telco's develop ATM: competing network standard for carrying high-speed voice/data
- standards bodies:
 - ATM Forum
 - o ITU

ATM principles:

- small (48 byte payload, 5 byte header) fixed length cells (like packets)
 - fast switching
 - o small size good for voice
- virtual-circuit network: switches maintain state for each "call"
- well-defined interface between "network" and "user" (think of telephone company)



Chapter 1: Summary Covered a "ton" of You now

- material!Internet overview
- what's a protocol?
- network edge, core, access network
- performance: loss, delay
- layering and service models
- backbones, NAPs, I SPs
- history
- ATM network

You now hopefully have:

- context, overview,
 "feel" of networking
- more depth, detail *later* in course